



# DURALIS

## Listelli Profile Made Of Aluminium

**DURAL**



### MATERIAL

Aluminium can be used wherever medium mechanical stresses are expected. Contact with alkaline materials (e.g. tile adhesive) can lead to discolouration, which can be difficult to remove afterwards. High humidity during the drying phase can intensify this process. Always wipe off tile adhesive or grout on visible surfaces immediately with plenty of water, then wipe dry and ensure that the room is well ventilated.

Suitability in terms of mechanical and chemical resistance must always be checked on a case-by-case basis.

### CARE

Aluminium does not require any special care. If necessary, it can simply be damp-cleaned with clear, clean water and a few drops of washing-up liquid. Then wipe dry.

Acidic, alkaline and abrasive cleaning agents should be avoided.

### PROCESSING

1. Determine the position for attaching the decorative listello.
2. Apply a sufficient amount of tile adhesive above or next to the last row of tiles.
3. Press the DURALIS profile in until both surfaces (tiles and profile) are flush.
4. Lay the next row of tiles.
5. Leave a grout line of 1-2 mm to the profile.
6. Completely fill the space between the tiles and the profile with grout.

For stainless steel, use a slow-speed angle grinder with a suitable cutting disc to cut the profiles. Wipe the full length of the cut profile to remove any spark marks

Protect visible surfaces from contact with tile adhesive or grout and, if necessary, clean immediately with a cloth and clear water. Then wipe dry.

The generally recognised rules of technology must be observed. The suitability with regard to mechanical and chemical resistance must

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

always be checked in each individual case.

## TECHNICAL DIMENSIONS AND PRODUCT VARIANTS

Material	[Aluminium], [Stainless Steel (304)]
Surface	[powder coated], [polished], [brushed], [anodised], [high-gloss anodised], [brushed],[high-gloss anodised]
Colour	natural, silver, gold, black, titanium, black matt (RAL 9005)
Length	250 cm
sight width	10 mm, 15 mm, 20 mm, 25 mm, 40 mm
Height	6 mm, 8 mm
Width mm	10 mm, 15 mm, 20 mm, 25 mm, 40 mm

## PRODUCT VARIANTS

Ident	Height	Surface	Colour	Length
DLE 250-SF/250	6 mm	brushed	natural	250 cm
DLE 400-SF/250	6 mm	brushed	natural	250 cm
DLE 250-S/250	6 mm	polished	natural	250 cm
DLAE 1500SW/250	8 mm	anodised	black	250 cm
DLAE 2000SW/250	8 mm	anodised	black	250 cm
DLAE 1000SW/250	8 mm	anodised	black	250 cm
DLAE 100-G/250	8 mm	anodised	gold	250 cm
DLAE 250-G/250	8 mm	anodised	gold	250 cm
DLAE 1000-G/250	8 mm	anodised	gold	250 cm
DLAE 1500-G/250	8 mm	anodised	gold	250 cm
DLAE 2000-G/250	8 mm	anodised	gold	250 cm
DLAE 100/250	8 mm	anodised	silver	250 cm
DLAE 250/250	8 mm	anodised	silver	250 cm
DLAE 1000/250	8 mm	anodised	silver	250 cm
DLAE 1500/250	8 mm	anodised	silver	250 cm
DLAE 2000/250	8 mm	anodised	silver	250 cm
DLA 62100-SF/250	8 mm	brushed, high-gloss anodised	silver	250 cm
DLA 62150-SF/250	8 mm	brushed, high-gloss anodised	silver	250 cm
DLA 62200-SF/250	8 mm	brushed, high-gloss anodised	silver	250 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.

DLA 63100-SF/250	8 mm	brushed, high-gloss anodised	titanium	250 cm
DLA 63150-SF/250	8 mm	brushed, high-gloss anodised	titanium	250 cm
DLA 63200-SF/250	8 mm	brushed, high-gloss anodised	titanium	250 cm
DLA 6110/250	8 mm	high-gloss anodised	gold	250 cm
DLA 6125/250	8 mm	high-gloss anodised	gold	250 cm
DLA 61100/250	8 mm	high-gloss anodised	gold	250 cm
DLA 61150/250	8 mm	high-gloss anodised	gold	250 cm
DLA 61200/250	8 mm	high-gloss anodised	gold	250 cm
DLA 6210/250	8 mm	high-gloss anodised	silver	250 cm
DLA 6225/250	8 mm	high-gloss anodised	silver	250 cm
DLA 62100/250	8 mm	high-gloss anodised	silver	250 cm
DLA 62150/250	8 mm	high-gloss anodised	silver	250 cm
DLA 62200/250	8 mm	high-gloss anodised	silver	250 cm
DLA 63150/250	8 mm	high-gloss anodised	titanium	250 cm
DLA 63200/250	8 mm	high-gloss anodised	titanium	250 cm
DLACM 2011/250	8 mm	powder coated	black matt (RAL 9005)	250 cm
DLACM 1011/250	8 mm	powder coated	black matt (RAL 9005)	250 cm
DLACM 1511/250	8 mm	powder coated	black matt (RAL 9005)	250 cm

Please note: For technical reasons, tolerances in color effects of the materials and print are possible. All information is based on the best of our knowledge and belief. No guarantee can be derived from this. We reserve the right to any technical changes if they are in the interest of progress or if they are production-related.